

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2137373-0
Report Reference E210608-20210913
Date 28-Sep-2021

Issued to: Turck Inc.
3000 Campus Drive Minneapolis, MN
United States 55441-2619

**This is to certify that
representative samples of** NRKH7 - Proximity Switches Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 NO. 60947-1-13, 2nd Ed., Issue Date: 2013-07-31, CSA C22.2 NO. 60947-5-2-14, 1st Ed., Issue Date: 2014-03-28

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2137373-0
Report Reference E210608-20210913
Date 28-Sep-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| Model | Category Description |
|---|----------------------|
| DR,, may be followed by "xx" followed by W or S or N may be followed by E followed by M30 may be followed by E followed by IOL or 2UPN followed by 8 followed by X or X2 followed by H1 followed by 1 followed by 4 followed by 1 may be followed by "/Sxxxxx" may be followed by /3D or /3G or /3GD | Proximity Switches |



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2144518-0
Report Reference E210608-20210913
Date 28-Sep-2021

Issued to: Turck Inc.
3000 Campus Drive Minneapolis, MN
United States 55441-2619

**This is to certify that
representative samples of** NRKH - Proximity Switches
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision
Date: 2019-05-06, UL 60947-5-2, 3rd Ed., Issue Date:
2014-03-28

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up
Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's
Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2144518-0
Report Reference E210608-20210913
Date 28-Sep-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| Model | Category Description |
|---|----------------------|
| DR,, may be followed by "xx" followed by W or S or N may be followed by E followed by M30 may be followed by E followed by IOL or 2UPN followed by 8 followed by X or X2 followed by H1 followed by 1 followed by 4 followed by 1 may be followed by "/Sxxxxx" may be followed by /3D or /3G or /3GD | Proximity Switches |



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

